

Acronym	Performance Measure	CHP+	Medicare	Commercial
	Effectiveness of Care			
	Prevention and Screening			
ABA	Adult BMI		Х	Х
WC	Weight assessment and counseling for nutrition and physical activity for children/adolescents	Х		Х
CIS	Childhood Immunization Status	Х		Х
IMA	Immunizations for adolescents	Х		Х
BCS	Breast cancer screening		Х	Х
CCS	Cervical cancer screening			Х
COL	Colorectal cancer screening		Х	Х
CHL	Chlamydia Screening in women	Х		Х
	Respiratory Conditions			
CWP	Appropriate testing for pharingitis	Х		Х
SPR	Spirometry in the assesment and diagnosis of Chronic Obstructive Pulmonary Disease (COPD)		Х	
MMA	Medication management for people with asthma	Х		Х
PCE	Pharmacotherapy management of COPD exacerbation		Х	
AMR	Asthma medication ratio	Х		
	Cardiovascular conditions			
СВР	Controlling high blood pressure		Х	Х
SPD	Statin Therapy for Patients with Cardiovascular Disease		Х	
РВН	Persistance of Beta-Blocker Treatment after a Heart Attack		Х	
CDC	Comprenhensive Diabetes Care			
	Eye exam (retina) performed		Х	Х
	Hemoglobin A1c (HbA1c) control (<8.0 %)		Х	Х

Updated: 10/24/2019

Page: 1 of 4



Acronym	Performance Measure	CHP+	Medicare	Commercial
	Medical attention for nephropathy		Х	Х
	Musculoskeletal Conditions			
ART	Disease-Modifying anti-rheumatic drug therapy for rheumatoid arthritis		Х	
OMW	Osteoporosis management in women who had fracture		Х	
	Behavioral Health			
AMM	Antidepressant medication management: Effective acute and continuation phase treatment		Х	X
ADD	Follow-up care for children prescribed ADHD medication	Х		
FUH	Follow-up after hospitalization for mental illness (7-Day follow up)		Х	Х
FUM	Follow-up after Emergency Department visit for mental illness		Х	
FUA	Follow-up after Emergency Department visit for alcohol and other drug abuse or dependance		Х	
APM	Metabolic monitoring for children and adolescents on antipsycotics	Х		
SAA	Adherence to Antipsycotic medications for individuals with schizophrenia		Х	
	Medication management and care coordination			
MPM	Annual monitoring for patients on persistent medications (ACE/ARBs, digoxin, diuretic, anticonvulsant, tot	Х		
FMC	Follow-up after Emergency Department visit for people with multiple high-risk chronic conditions		Х	
MRP	Medication reconciliation post-discharge		Х	
TRC	Transitions of care		Х	
INR	International Normalized Ratio Monitoring for Individuals on warfarin			Х
	Overuse/Appropriateness			
NCS	Non-recommended cervical cancer screening in adolescent females	Х		
URI	Appropriate treatment for upper respiratory infection	Х		Х
AAB	Avoidance of antibiotic treatment in adults with acute bronchitis	Х		Х

Updated: 10/24/2019

Page: 2 of 4



Acronym	Performance Measure	CHP+	Medicare	Commercial
APC	Use of multiple concurrent antipsycotics in children and adolescent			
UOP	Use of opiods from multiple providers		Х	
UOD	Use of opioids at high dosage		Х	
PSA	Non-recommended PSA-based screening in older men		Х	
DAE	Use of high-risk medication in the elderly		Х	
POD	Pharmacotherapy for opioid use disorder	Х		
COU	Risk of continued opioid use	Х		
lbp	Use of imaging studies for low back pain			Х
	Measures collected through the Medicare Health Outcome Survey (HOS)			
HOS	Medicare health outcomes survey (HOS)		Х	
FRM	Fall risk management (collected in HOS)		Х	
MUI	Managemenent of urinary incontinence in older adults (collected in HOS)		Х	
PAO	Physical activity in older adults (collected in HOS)		Х	
DDE	Potentially harmful drug-disease interactions in the elderly		Х	
ОТО	Osteoporosis tesing in older women (collected in HOS)		Х	
	Measures collected through CAHPS Health Plan Survey			
MSC	Medical assistance with smoking cessation and tobacco use cessation		Х	Х
FVO	Flu vaccinations in older adult (collected in HOS)		Х	
PNU	Pneumococcal vaccination status for older adults (collected in CAHPS)		Х	
	Access/Availability of Care			
AAP	Adults' access to preventive/ambulatory health services		Х	
CAP	Children and adolecents' access to Primary Care Practicioners	Х		
IET	Initiation and engagement of alcohol and other drug abuse or dependance treatment		Х	Х

Updated: 10/24/2019

Page: 3 of 4



Acronym	Performance Measure	CHP+	Medicare	Commercial
PPC	Prenatal and Postpartum Care			Х
	Utilization			
W15	Well-child visits in the first 15 months of life	Х		Х
W34	Well-child visits in the third, fourth, fifth, and sixth years of life	Х		Х
AWC	Adolescent well-care	Х		
ABX	Antibiotic utilization	Х	Х	
FSP	Frequency of selected procedures		Х	
IAD	Identification of alcohol and drug services		X	
MPT	Mental health utilization		Х	
	Risk Adjusted Utilization			
PCR	Plan all-cause readmission		Х	Х
IPU	Inpatient utilization - general hospital/acute care	Х		
AMB	Ambulatory care: outpatient and/or ED	Х	Х	
PDC	Proportion of days covered			Х
HFS	Hospitalization following discharge from a Skilled Nursing Facility		Х	
EDU	Emergency Department utilization		Х	
НРС	Hospitalization for potentially preventable complications		Х	
	QRS Survey Measures			
	Rating of all health care			Х
	Rating of health plan			Х
	Rating of personal doctor			Х
	Rating of specialist			Х
(FVA)	Flu vaccinations for adults ages 18-64			Х
	Access to care			Х



Acronym	Performance Measure	CHP+	Medicare	Commercial
	Access to information			Х
	Care coordination			Х
	Measures Collected Using Electronic Clinical Data System			
ASF	Unhealthy alcohol use screening and follow-up		Х	
DSF	Depression screening and follow-up for adolescents and adults		Х	
AIS	Adult immunization status, incorporates former pneumococcal vaccination (PVC)for older adults		Х	
DMS	Utilization of the PHQ-9 to monitor depression symptoms for adolescents and adults		Х	
DRR	Depression Remission or response for adolescents and adults		Х	
BCS-E	Breast Cancer screening		Х	
COL-E	Colorectal cancer screening		Х	
	Health Plan Descriptive Information			
LDM	Language diversity of membership		Х	
TLM	Total membership		Х	

Updated: 10/24/2019

Page: 5 of 4